

Assembly Instruction for Fiber Optic Series F02-4 Fischer Connectors



Table des matières

1	Introduction	3
2	Document history	3
	Definitions and Acronyms	
4	FO2-4 Plugs & Receptacles with Cable Clamp Set	4
5	FO2-4 Plugs & Receptacles with Potting Set	9
6	FO2-4 R01, R03 & R13 Receptacles with Wire Set	14
7	Terminus assembly	17
8	Polishing	19
9	Appendix	27

1 Introduction

This document covers:

- The application of Fischer FiberOptic Series electrical contacts and optical termini to electrical and fiber optic cables (singlemode and multimode fibers)
- The assembly of fiber optic cable with a cladding size of 125 μm and having the cable structure described in Fischer FiberOptic Series Cable Specifications
- The assembly of Fischer FiberOptic Series electrical contacts and optical termini and Rear Accessory sets (Wire, Cable Clamp and Potting sets) to Fischer FiberOptic Series 2/4 channel connectors (referred as FO2-4 in the present document)

Please read these instructions thoroughly before starting assembly.


2 Document history

Date	Revision #	Author	Controller	Modification description
15.03.2017	6.0	JGY	SRH/CMI	New Document
12.07.2018	7.0	JGY	Change on chapter 5 => potting back body	
28.02.2019	7.1	SKE	JGY	Rear of Sleeve Holder changed from black to red

3 Definitions and Acronyms

Text	Definition / Acronym
FO	Fischer FiberOptic
FO2/4	Fischer FiberOptic Series two channels or four channels-2/4 fiber
IEC	International Electrotechnical Commission

4 FO2-4 Plugs & Receptacles with Cable Clamp Set




Note: the pictures shown in this section represent a PO1 Plug.

The following assembly steps are valid for P01 plug, as well as R01, R03, R13 and R50 receptacles, except the final step (sleeve holder assembly).

Assembly instructions Rev 7.1				
Picture	Process	Tools		
	Slide over the cable: - the Bend Relief "L" - the Shrink Tube "K" - the Rear Nut "J" - the Clamp Nut "I" - the Conical Ring "H" - the Clamp Set Body "G" - the O-Ring Seal "F"			
Buffer Buffer A:65 [mm] B:10 [mm] C:48 [mm]	Strip the cable to the dimensions as given on the picture.	Ruler, aramid shears, jacket stripper, and strip tool.		
Terminus asse	embly : See section 7			
Polishing	g: See section 8			
	Insert all the Termini "D" into the Insulator "C". When you insert the Terminus "D", be careful to turn it during the insertion to not "bend" the contact O-ring.			
Receptacle 1	Pin Layout front view.			
	Place the Support Washer "E" around the Termini "D".			

Assembly instructions Rev 7.1	
Click	Push the contact bloc (Termini "D" + Insulator "C") with the Support Washer "E" until it clips.
	Position the O-Ring Seal "F" on the Clamp Set Body "G" then slide the Clamp Set Body "G" into the Connector Body "B".
	Screw by hand the Rear Nut "J" on the Connector Body "B", then uniformly distribute the cable strength members around the back of the Clamp Set Body "G".
	Position the Conical Ring "H" against the strength members.
	Screw by hand the Clamp Nut "I" on the Clamp Set Body "G".

Accombly instructions Day 7.1		
Assembly instructions Rev 7.1	Screw the Rear Nut "J" Recommended torque: 5.0 Nm	Torque wrench [5Nm] Size 13 Counter piece: receptacle FO2/4
5	Screw the Clamp Nut "I". Recommended torque: 5.0 Nm Note: hold the Clamp Set Body "G" with a wrench while screwing the Clamp Nut "I".	Torque wrench [3Nm] Size 9 Wrench size 10!
	Slide the Shrink Tube "K" until the end of the shrink tube abuts the Rear Nut "J" and heat it.	Heat gun Shrink tube operating temperature range: - 55°C to 110°C.
	Apply epoxy on the Shrink Tube "K" and slide the Bend Relief "L" until the end of the Bend Relief "L" abuts the Rear Nut "J".	Epoxy: RT-355 Resintech




Insert Sleeve Holder "A" in Connector Body "B" with red side inside connector.

Note: there is no Sleeve Holder for R01, R03, R13 and R50 receptacles. Thus, this final assembly step is valid only for P01 plug.



5 FO2-4 Plugs & Receptacles with Potting Set



Note: the pictures shown in this section represent a P01 Plug.

The following assembly steps are valid for P01 plug, as well as R01, R03, R13 and R50 receptacles, except the final step (sleeve holder assembly).


icture	Process	Tools
	Slide over the cable :	
	 the Bend Relief "J" the Shrink Tube "I" the Rear Nut "H" the Potting Set Body "G" the O-Ring Seal "F" 	
Buffer Fiber A: 70 [mm] B: 4 [mm] C: 53 [mm]	Strip the cable to the dimensions as given on the picture.	Ruler, aramid shears jacket stripper, and strip tool
Terminus as	ssembly : See section 7	
	ing: See section 8	
	Insulator "C". When you insert the Terminus "D", be careful to turn it during the insertion to not "bend" the contact O-ring.	
Receptacle 1	Pin Layout front view.	
	Place the Support Washer "E" around the Termini "D".	

Assembly instructions Rev 7.1		
Click	Push the contact bloc (Termini "D" + Insulator "C") with the Support Washer "E" until it clips.	
	Position the O-Ring Seal "F" on the Potting Set Body "G" then slide the Potting Set Body "G" into the Connector Body "B". Be careful to the orientation of	
	the back body.	
	Screw by hand the Rear Nut "H" on the Connector Body "B".	
	Screw the Rear Nut "G". Recommended torque: 5.0 Nm	Torque wrench [5Nm] Size 13 Counter piece: receptacle FO2/4

Assembly instructions Rev 7.1	Slide the Shrink Tube "I" until the	Heat gun
	end of the shrink tube abuts the Potting Set Body "G" as shown on the left picture and heat it.	Shrink tube operating temperature Range : - 55°C to 110°C
Overfill hole Injection Hole (2mm)	Slowly inject the epoxy inside the Potting Set Body "G" using the filling hole located at the bottom of the Potting Set Body "G". Note: the second hole, smaller and located above the filling hole, is an overfilling hole. Stop injecting epoxy when epoxy starts to flow from this overfilling hole.	Resin Epoxy RS 851- 044 Black
Overfill hole Injection Hole (2mm)		
	Remove any excess epoxy from the assembly (if any), apply tape on both filling and overfilling holes and place the assembly onto the curing oven block.	Curing time: 12 hours @ approx. 23°C.

Assembly instructions Rev 7.1			
	Apply epoxy on the Shrink Tube "I" and slide the Bend Relief "J" until the end of the Bend Relief "J" abuts the Back Nut "H".	Epoxy: RT-355 Resintech	
	Insert Sleeve Holder "A" in Connector Body "B" with red side inside connector. Note: there is no Sleeve Holder for R01, R03, R13 and R50 receptacles. Thus, this final assembly step is valid only for P01 plug.		

6 FO2-4 R01, R03 & R13 Receptacles with Wire Set



Note: the pictures shown in this section represent a R03 receptacle. The following assembly steps are valid for R01 & R13 receptacles as well.


Picture	Process	Tools
	Slide over the cable: - the Wire Set Nut "I" - the Wire Set Body "H" - The O-Ring Seal "G" - the Shrink Tube "F" - the Crimp Sleeve "E"	
Jacket Buffer Fiber A : 38 [mm] B : 8 [mm] C : 22 [mm]	Strip the cable to the dimensions as given on the picture.	Ruler, aramid shears, jacket stripper, and strip tool
Terminus asse	mbly : See section 7	
	Uniformly distribute the cable strength members around the back of the Terminus "B".	
	Slide the Crimp Sleeve "E" over the cable strength members until the end of the Crimp Sleeve abuts the Terminus "B".	Find tools drawing in appendixes.

Process	Tools
Slide the Shrink Tube "F" over the Crimping Sleeve "E" and heat it.	Heat gun Shrink tube operating temperature range: - 55°C to 110°C.
· Caracation C	
Insert all the Termini "C" into the Insulator "B". When you insert the Terminus "C", be careful to turn it during the insertion to not "bend" the contact O-ring.	
Pin Layout front view.	
Place the Support Washer "D" around the Termini "C".	
Push the contact bloc (Termini "C" + Insulator "B") with the Support Washer "D".	
Insert the Wire Set Body "H" into the Connector Body "A".	
	Slide the Shrink Tube "F" over the Crimping Sleeve "E" and heat it. See section 8 Insert all the Termini "C" into the Insulator "B". When you insert the Terminus "C", be careful to turn it during the insertion to not "bend" the contact O-ring. Pin Layout front view. Place the Support Washer "D" around the Termini "C". Push the contact bloc (Termini "C" + Insulator "B") with the Support Washer "D".

Picture	Process	Tools
	Screw the Wire Set Nut "I" on the	Torque wrench
·//4	Connector Body "A".	[5Nm] Size 13
	Recommended torque : 5.0 Nm	
mit-		



7 Terminus assembly



Picture	Process	Tools
	Slide over the cable : - the Termini Closure "F" - the Spring "E"	
Prepare the cable according to strip	ping dimension from the relevant se	ection.
	Insert epoxy into the Ferrule "D" until a little drop appears at the Ferrule end. Carefully insert the fiber into the back of the Ferrule "D". Make sure the buffer slides inside the Ferrule and abuts the ceramic.	Extended Working Life, 2-Part Epoxy, 2.5 Gram Packet Frs: FIBER OPTIC CENTER Ref: ET383ND-2.5G
Excess epoxy can affect mechanical function	Remove any excess epoxy from the assembly.	
	Cure the epoxy.	120 +10/- 20[°C] during 20 min.
	Cleave fiber.	Scribe Tool

Assembly instructions Rev 7.1	

Position the Ferrule O-Ring "C" on the Ferrule "D" as shown on the top left picture. Slide the Spring "E" and Termini Closure "F" at the back of the Ferrule "D" and assemble them into the Termini Housing "B".	
Position the Housing O-Ring "A" on the Termini Housing "B" as shown on the left picture.	

8 Polishing


It is recommended polishing the fiber using a polishing machine.

Polish the fiber according to the machine manufacturer's instructions.

Picture	Process	Tools
	C termini	
	Step1: Air polish Holding the polishing bushing and terminus, place the polishing bushing on the film. Using light pressure on the ferrule, polish the endface of the ferrule in a small circular motion.	 Polishing film: 9µm Silicon carbide Polishing Pad: N/A Lubricant: N/A Tool: FO-10090
After Air After cleave Polish Air Polish		
	Clean the polishing pad with demineralized water and lint-free cloth, from the center outwards.	
	Spray some demineralized water on the polishing pad and place the polishing film, starting at edges of the polishing pad.	
	Spray abundantly demineralized water on the polishing film.	

Assembly instructions Rev 7.1 Max 100μm Too much polishing	Step 2: Polish the termini with 5 μm Silicon carbide polishing film, until no peripheral chips are visible. Do not remove more than 100 μm.	 Polishing film: 5µm Silicon carbide Polishing Pad: 90 duro black Lubricant: DI-water Fixture tool: FO- 10019
	Wipe abundantly the polishing tool holding the termini with demineralized water and clean it carefully with a lint-free cloth.	
	Use an air pressure gun to remove residual water.	
	Clean the polishing pad with demineralized water and lint-free cloth, from the center outwards. Spray some demineralized water on the polishing pad and place the polishing film, starting at edges of the polishing pad.	
	Spray abundantly demineralized water on the polishing film.	
	Step 3 : Polish the termini with 1 μ m Diamond polishing film in an 8 pattern motion (or pattern of the polishing machine).	 Polishing film: μm Diamond Polishing Pad: 80 duro green Lubricant: DI-water Fixture tool: FO-10019

Assembly instructions Rev 7.1		
	Wipe abundantly the polishing tool holding the termini with demineralized water and clean it carefully with a lint-free cloth. Use an air pressure gun to remove residual water.	
	Clean the polishing pad with demineralized water and lint-free cloth, from the center outwards. Spray some demineralized water on the polishing pad and place the polishing film, starting at edges of the polishing pad. Spray abundantly demineralized water on the polishing film.	
	Step 4: Polish the termini with AngstromLap Final Polish SiO2 in an 8 pattern motion. Do not clean the polishing tool after this step, to avoid creating scratches on the polished ferrule. Geometrical control:	 Polishing film: AngstromLap Final Polish SiO2 Polishing Pad: 80 duro green Lubricant: DI-water Fixture tool: FO-10019
21		



Assembly instructions Rev 7.1		
	Clean the polishing pad with demineralized water and lint-free cloth, from the center outwards.	
	Spray some demineralized water on the polishing pad and place the polishing film, starting at edges of the polishing pad.	
	Spray abundantly demineralized water on the polishing film.	
	Step 2: Polish the termini with 8° angle using the fixture tool. Make sure the endface of the ferrule is fully polished, as shown on the left pictures.	 Polishing film: 5µm Diamond Polishing Pad: Glass Lubricant: DI-water Fixture tool: TX00.285
OK NOK	If not, repeat from step 2.	
	Wipe abundantly the polishing tool holding the termini with demineralized water and clean it carefully with a lint-free cloth.	
	Use an air pressure gun to remove residual water.	
23 This document is the property of Fischer Connectors		


Assembly instructions Rev 7.1		
	Clean the polishing pad with demineralized water and lint-free cloth, from the center outwards. Spray some demineralized water on the polishing pad and place the polishing film, starting at edges of the polishing pad. Spray abundantly demineralized	
	Step 3 : Polish the termini with 1 μm Diamond polishing film in an 8 pattern motion (or pattern of the polishing machine).	■ Polishing film: 1 µm Diamond ■ Polishing Pad: 80 duro green ■ Lubricant: DI-water ■ Fixture tool: TX00.285
	Wipe abundantly the polishing tool holding the termini with demineralized water and clean it carefully with a lint-free cloth.	
	Use an air pressure gun to remove residual water.	
24		


Assembly instructions Rev 7.1		
	Clean the polishing pad with demineralized water and lint-free cloth, from the center outwards. Spray some demineralized water on the polishing pad and place the polishing film, starting at edges of the polishing pad.	
	Spray abundantly demineralized water on the polishing film.	
	Step 4: Polish the termini with AngstromLap Final Polish SiO2 in an 8 pattern motion. Do not clean the polishing tool after this step, to avoid creating scratches on the polished ferrule.	 Polishing film: AngstromLap Final Polish Polishing Pad:80 duro green Lubricant: DI-water Fixture tool: TX00.285
** State Stage Associated Secretarian Secretaria Secret	Geometrical control: Ferrule Radius [mm]: Min 5 - Max 12 Apex Offset [μm]: Min 0.0 – Max 50.0 If fail, repeat from step 3.	
NI CO	Fiber core inspection: Examine the endface of the ferrule for scratches according to left pictures. If fail, repeat from step 4.	
	25	

Assembly instructions Rev 7.1	
	If not installing the connector immediately, install a protective cover onto terminus to prevent contamination to the endface of
	the ferrule.
	26

9 Appendix

Tool drawing for crimping the sleeve to the contact





Tool drawing for crimping the ground contact to the rear body (FOH)

